

Ultimate Water Flow

Cpvc Pipes & Fittings

CPVC Pipes are made for **Super Flow Water system**
in buildings and individual homes



About Us

For the infusion of technology with quality products are the way forwards to enable our clients in getting the best they can have. Of course, this bond is strengthened with the array of products we have for commercial purposes.

As a blacksmith uses heat to temper steel, so does the fire of achieve success strengthen our mettle. You will get the best of the industry products with long-lasting quality at a competitive price. Our MakeInIndia mission began way back in 1969 at Vatva, initiated by Mr. Omprakash Agarwal, and continues today under the leadership of Mr. Vikas Agarwal. Our zealous mission to showcase Indian products as the best in quality and endurance was the mainstay motive for starting Manish Corporation.

Initially, we focused on a few products, but over time, we have expanded our offerings to include a wide range of metal products that cater to all your industrial and commercial requirements. Our commitment to excellence and customer satisfaction has been the driving force behind our growth and success

Mr. Omprakash Agarwal has been involved in the trading and supply of mill store products and general hardware items since 1969. Later, his son, Mr. Vikas Agarwal, joined the business, bringing fresh energy and vision. Leveraging their family's expertise, they have also operated rolling mills for producing various products such as angles, channels, flats, rounds, squares, and strips, along with the cold rolling of E.R.W. pipes.

The company primarily focuses on consumables, machinery, stores, and spares to support industries and help them grow by becoming their reliable partner in supplying high-quality products. These products are efficiently manufactured to enhance productivity, minimize breakdowns, and ensure the best effective use of consumables, thereby reducing production costs. Our practical knowledge and expertise in the industry provide invaluable insights needed to maintain and drive growth.

Manish Corporation caters to the diverse needs of various industries, including steel re-rolling mills of all sizes for structure, TMT, strip, E.R.W. pipe plants, induction furnaces, concast, continuous machines, and cement, sugar, and paper mill machinery. Additionally, we supply their essential consumables. These are the mainstay items for Manish Corporation.

Mission

Our mission at Manish Corporation is to provide unparalleled products and services in the Refractory, Engineering, Hardware, Agricultural, and Heavy Machinery sectors. We aim to achieve excellence through continuous improvement, leveraging advanced technologies and industry best practices. Our dedicated team strives to exceed customer expectations by delivering high-quality products and comprehensive service solutions, fostering a culture of trust and reliability.

Vision

Our vision is to be a global leader in our industry, recognized for our innovative approach, superior product quality, and exceptional customer service. We aspire to create sustainable growth by expanding our market presence and enhancing our product portfolio, while maintaining our commitment to environmental stewardship and social responsibility. Through our efforts, we seek to contribute to the industrial progress and economic development of the communities we serve.

Core Value



Integrity



Quality



Customer
-Centricity



Commitment to
Excellence



Ethical
Practices



Transparency



Satisfaction

Our Team



Mr. Omprakash Agarwal
[Founder & Chairman]

Mr. Omprakash Agarwal has been trading and supplying mill store products and general hardware items since 1969, showcasing extensive experience and dedication in the industry for over five decades.



Mr. Vikas Agarwal
[Director]

Mr. Vikas Agarwal brought fresh energy and vision to the family business, leveraging their expertise to operate rolling mills producing angles, channels, flats, rounds, squares, strips, and cold rolling E.R.W. pipes.



Manish Patel
[Executive Director]

Since 1998, Manish Patel has driven Manish Corporation's growth, ensuring seamless import, packaging, handling, and dispatch operations, and upholding the company's global reputation for quality and reliability.

PLUS PIPES

Pushfit Washer / Ring Type

Type A



Single Socket
10 ft/20ft

Type B



Single Socket
10 ft/20ft

Solfit Pasting / Solvent Cement type

Type A



Single Socket
10 ft/20ft

Type B



Single Socket
10 ft/20ft

DRAINAGE STSTEM

Pushfit Washer / Ring Type

Type A



Single Socket
& Double Socket

Single Socket

2.7 Mtr. (9 Ft.)
3 Mtr. (10 Ft.)
3.6 Mtr. (12 Ft.)
6 Mtr. (20 Ft.)
1.80 Mtr. (6 Ft.)

Double Socket

3 Mtr. (10 Ft.)
0.60 Mtr. (2 Ft.)
0.90 Mtr. (3 Ft.)
1.20 Mtr. (4 Ft.)
1.80 Mtr. (6 Ft.)

Type B



Single Socket
& Double Socket

Single Socket

2.4 Mtr. (8 Ft.)
2.7 Mtr. (9 Ft.)
3 Mtr. (10 Ft.)
3.6 Mtr. (12 Ft.)
6 Mtr. (20 Ft.)
1.80 Mtr. (6 Ft.)

Double Socket

3 Mtr. (10 Ft.)
6 Mtr. (20 Ft.)
0.60 Mtr. (2Ft.)
0.90 Mtr. (3 Ft.)
1.20 Mtr. (4 Ft.)
1.80 Mtr. (6 Ft.)

Solfit Pasting / Solvent Cement type

Type A



Single Socket
& Double Socket

Single Socket

6 Mtr. (20 Ft.)
3 Mtr. (10 Ft.)
1.80 Mtr. (6 Ft.)

Double Socket

3 Mtr. (10 Ft.)
0.60 Mtr. (2 Ft.)
0.9 Mtr. (3 Ft.)
1.2 Mtr. (4 Ft.)
1.8 Mtr. (6 Ft.)

Type B



Single Socket
& Double Socket

Single Socket

6 Mtr. (20 Ft.)
3 Mtr. (10 Ft.)
1.80 Mtr. (6 Ft.)

Double Socket

3 Mtr. (10 Ft.)
0.60 Mtr. (2 Ft.)
0.9 Mtr. (3 Ft.)
1.2 Mtr. (4 Ft.)
1.8 Mtr. (6 Ft.)

Fittings - Pushfit



Plain Bend / Elbow

Size:

[7.5 / 9.0 / 11.0 / 16.0 / 20.0 cm]



Door Bend / Door Elbow

Size:

[7.5 / 9.0 / 11.0 / 16.0 / 20.0 cm]



Bend 45° / Shoe Bend

Size:

[7.5 / 9.0 / 11.0 / 16.0 / 20.0 cm]



Coupler / Socket

Size:

[7.5 / 9.0 / 11.0 / 16.0 / 20.0 cm]



Repair Coupler

Size:

[7.5 / 9.0 / 11.0 / 16.0 / 20.0 cm]



**Reducer
/ Eccentric Reducer**

Size:

[9.0 x 7.5 / 11.0 x 7.5 / 11.0 x 9.0 /
16.0 x 11.0 / 20.0 x 16.0 cm]



Reducing Tee

Size:

[9.0 x 7.5 / 11.0 x 7.5 / 16.0 x 7.5 /
16.0 x 11.0 cm]



Reducing Door Tee

Size:

[9.0 x 7.5 / 11.0 x 7.5 / 16.0 x 7.5 /
16.0 x 11.0 cm]



Reducing Y with Door

Size:

[11.0 x 7.5 / 16.0 x 11.0 cm]



Reducing Y without Door

Size:

[11.0 x 7.5 / 16.0 x 7.5 /
16.0 x 11.0 / 20.0 x 11.0 cm]



Single Tee

Size:

[7.5 / 9.0 / 11.0 / 16.0 / 20.0 cm]



Door Tee / Tee With Door

Size:

[7.5 / 9.0 / 11.0 / 16.0 / 20.0 cm]



Double Tee / Cross Tee

Size:

[7.5 / 9.0 / 11.0 / 16.0 cm]



**Double Tee / Cross Tee
with Door**

Size:

[7.5 / 9.0 / 11.0 cm]



Reducing Cross Tee

Size:

[11.0 x 7.5 / 16.0 x 7.5 /
16.0 x 11.0 cm]



Single Y

Size:

[7.5 / 9.0 / 11.0 / 16.0 / 20.0 cm]



Single Y with Door

Size:

[7.5 / 9.0 / 11.0 / 16.0 / 20.0 cm]



Double Y

Size:

[7.5 / 9.0 / 11.0 / 16.0 / 16.0 cm]



Double Y with Door

Size:

[7.5 / 9.0 / 11.0 cm]



Reducing Double Y

Size:

[11.0 x 7.5 / 16.0 x 7.5 / 16.0 x 10.0 cm]



Reverse Y

Size:

[7.5 cm]



Cleaning Pipe / Access Pipe

Size:

[7.5 / 9.0 / 11.0 / 16.0 / 20.0 cm]



Left Side Single Y with Front Door

Size:

[7.5 / 11.0 cm]



Right Side Single Y With Front Door

Size:

[7.5 / 11.0 cm]



Left Side Door Elbow

Size:

[11.0 cm]



Right Side Door Elbow

Size:

[11.0 cm]



Left Side Door Tee

Size:

[11.0 cm]



Right Side Door Tee

Size:

[11.0 cm]



Swept Tee Plain

Size:
[11.0 cm]



Swept Tee Plain with Door

Size:
[11.0 cm]



Long Swept Tee

Size:
[75 / 11.0 / 16.0 / 20.0 cm]



Long Swept Tee with Door

Size:
[75 / 11.0 / 16.0 / 20.0 cm]



Reducing Swept Tee

Size:
[11.0 x 75 / 16.0 x 75 /
16.0 x 11.0 cm]



Tee Triple Shock (T)

Size:
[20.0 x 11.0 cm]



Swept Tee Triple Shocket (T)

Size:
[11.0 cm]



**Branch Swept Triple Socket
45°(T)**

Size:
[20.0 x 11.0 cm]



Long Swept Bend

Size:
[11.0 / 16.0 / 20.0 cm]



Long Swept Bend with Door

Size:
[11.0 / 16.0 / 20.0 cm]



Pass Over Bend (Type B - Pipes)

Size:
[75 / 9.0 / 11.0 cm]



NRV / Back Flow Preventer

Size:
[11.0 / 16.0 cm]



Flap For NRV

Size: [11.0 / 16.0 cm]



Rubber Lubricant

Size: [100 / 250 / 500 gm]



Yellow Seal 'O' Ring

Size: [75 / 9.0 / 11.0 / 16.0 / 20.0 / 25.0 / 31.5 cm]



Aerotor

[11.0 cm]

Fittings - Solfit



Plain Bend / Elbow

Size:

[75 / 9.0 / 11.0 / 16.0 / 20.0 cm]



Door Bend / Door Elbow

Size:

[75 / 9.0 / 11.0 / 16.0 cm]



Bend 45° / Shoe Bend

Size:

[75 / 9.0 / 11.0 / 16.0 cm]



Heavy Coupler

Size:

[75 / 11.0 cm]



Coupler / Socket

Size:

[4.0 / 5.0 / 6.3 / 7.5 / 9.0 / 11.0 / 14.0 / 16.0 / 20.0 / 25.0 / 31.5 cm]



Single Tee

Size:

[75 / 9.0 / 11.0 / 16.0 cm]



Door Tee / Tee with Door

Size:

[75 / 9.0 / 11.0 / 16.0 cm]



Double Tee / Cross Tee

Size:

[75 / 9.0 / 11.0 / 16.0 cm]



**Double Tee with Door
/ Cross Tee with Door**

Size:

[75 / 9.0 / 11.0 cm]



Single Y

Size:

[75 / 9.0 / 11.0 / 16.0 cm]



Single Y with Door

Size:

[75 / 9.0 / 11.0 / 16.0 cm]



Double Y

Size:

[75 / 9.0 / 11.0 cm]



Double Y with Door

Size: [75 / 9.0 / 11.0 cm]



Reducing Double Y

Size: [16.0 x 75 / 16.0 x 11.0 cm]



Reducing Y with Door

Size: [11.0 x 75 cm]



Reducing Y without Door

Size: [11.0 x 75 / 16.0 x 75 / 16.0 x 11.0 / 20.0 x 11.0 / 20.0 x 16.0 cm]



Cleaning Pipe / Access Pipe

Size: [7.5 / 9.0 / 11.0 / 16.0 cm]



Reducing Tee

Size: [9.0 x 7.5 / 11.0 x 7.5 / 16.0 x 7.5 / 16.0 x 11.0 cm]



Reducing Door Tee

Size: [9.0 x 7.5 / 11.0 x 7.5 / 16.0 x 11.0 cm]



Reducing Offset/Accentric Reducer

Size: [11.0 x 7.5 / 16.0 x 11.0 cm]



Repair Coupler

Size: [7.5 / 9.0 / 11.0 / 16.0 cm]



Reducer Coupler / Concentric Reducer

Size: [6.3 x 5.0 / 7.5 x 5.0 / 7.5 x 6.3 / 11.0 x 7.5 / 11.0 x 9.0 / 14.0 x 11.0 / 16.0 x 11.0 / 20.0 x 16.0 / 25.0 x 20.0 / 31.5 x 25.0 cm]



Reducing Bush

Size:



Passover Bend (Type - B Pipes)

Size: [7.5 / 9.0 / 11.0 cm]



Swept Tee Plain

Size: [11.0 cm]



Swept Tee with Door

Size: [11.0 cm]



Solvent Cement

Size: [50 / 100 / 250 / 500 / 1000 / 5000 ml]



Aerator

Size: [11.0 cm]

Equal Fittings - Solfit



Equal Elbow

Size:
[4.0 / 5.0 / 6.3 / 7.5 / 9.0 /
11.0 / 14.0 / 16.0 / 20.0 cm]



Equal Elbow with Door

Size:
[5.0 / 6.3 / 7.5 / 9.0 / 11.0 / 14.0 / 16.0 cm]



Equal Tee

Size:
[4.0 / 5.0 / 6.3 / 7.5 / 9.0 /
11.0 / 14.0 / 16.0 / 20.0 cm]



Equal Tee with Door

Size:
[5.0 / 6.3 / 7.5 / 9.0 / 11.0 / 14.0 / 16.0 cm]



Equal Reducer Tee

Size:
[7.5 x 4.0 / 7.5 x 5.0 / 7.5 x 6.3 / 11.0 X 4.0 /
11.0 x 5.0 / 11.0 x 6.3 / 11.0 x 7.5 / 11.0 x 9.0 cm]



Equal Reducer Tee with Door

Size:
[7.5 x 4.0 / 7.5 x 5.0 / 7.5 x 6.3 / 11.0 X 4.0 /
11.0 x 5.0 / 11.0 x 6.3 / 11.0 x 7.5 / 11.0 x 9.0 cm]



Equal Y

Size:
[4.0 / 5.0 / 6.3 cm]



Equal Y with Door


Size:
[5.0 / 6.3 cm]



Equal Bend 45

Size:
[4.0 / 5.0 / 6.3 / 7.5 / 9.0 / 11.0 / 14.0 / 16.0 cm]

Common Fittings for both Pushfit and Solfit



"P" Trap

7.5 x 7.5 11.0 x 11.0 12.5 (long) x 11.0
 9.0 x 9.0 (short) 12.5 x 11.0
 (with leg) 11.0 x 11.0 (Deeper - 50mm Water seal)
 9.0 x 9.0 (Long)
 (without leg) 11.0 x 11.0
 (Deeper - 50mm Water seal)




"Q" Trap

[11.0 x 11.0 / 12.5 x 11.0 cm]



"S" Trap

[11.0 x 11.0 / 12.5 x 11.0 cm]



Bell Mouth Trap

[11.0 x 7.5 / 11.0 x 7.5 cm]



Nahani Trap without Jail

[5.0 / 6.3 x 6.3 / 9.0 x 9.0 / 11.0 x 6.3 /
 11.0 x 9.0 / 11.0 x 11.0 / 11.0 x 7.5 /
 11.0 x 9.0 / 11.0 x 11.0 cm]



**Nahani Trap Single Piece
without Jail**

[11.0 x 7.5 cm]



Gully Trap with Jail

[11.0 cm]



Gully Trap without Jail

[11.0 cm]



Floor Trap

[11.0 x 6.3 / 11.0 x 7.5 cm]




Multi Trap without Jail

[11.0 x 7.5 x 5.0 cm]
 [11.0 x 7.5 x 5.0 x 4.0 cm]
 [11.0 x 9.0 x 7.5 x 5.0 cm]



**Multi Floor Trap
with Foul Arrester(7'')**

[11.0 x 7.5 x 5.0 x 4.0 cm]



Balcony Floor Drain

[7.5 / 11.0 cm]




Brand Saddle

[11.0 x 4.0 / 11.0 x 5.0 cm]



Lip Ring

[11.0 x 12.5 cm]



End Cap

[4.0 / 5.0 / 6.3 / 7.5 / 9.0 / 11.0 / 16.0 cm]



Socket Plug

[4.0 / 5.0 / 6.3 / 7.5 / 9.0 / 11.0 / 16.0 cm]



**Threaded End Plug
/ Clean out Plug**

[6.3 / 7.5 / 9.0 / 11.0 / 16.0 cm]



WC Connector (Straight)

[11.0 x 12.5 cm]



WC Connector (Bend)

[11.0 x 12.5 cm]



Multi Trap partition Cap

[11.0 x 11.0 cm]



**Single piece Black Floor Trap
Partition 4"**

[11.0 x 11.0 cm]



Anti Siphon

[7.5 x 4.0 / 7.5 x 5.0 x 7.5 x 6.3 x 11.0 x 4.0 /
11.0 x 5.0 / 11.0 x 6.3 / 11.0 x 7.5 / 11.0 x 9.0 cm]



Height Riser with Wings

[110 x 50 x 40 cm]



Height Riser without Wings

[110 x 50 x 40 cm]



Pipe Clips - Small Holes

[7.5 / 9.0 / 11.0 / 16.0 cm]



Pipe Clips - Big Holes

[7.5 / 9.0 / 11.0 / 16.0 cm]



Vent Cowl

[7.5 / 9.0 / 11.0 / 16.0 cm]



Door Cap

[5.0 / 6.3 / 7.5 / 9.0 / 11.0 / 16.0 / 20.0 cm]



Round Jail for Nahani Traps

[5.0 / 6.3 / 9.0 / 11.0 cm]



Square Jail

[16.0 x 16.0 cm]



Kitchen Sink Adaptor

PAN CONNECTORS



APCS 2 Straight

12.5 x 11.0 cm



APCC 2 Collapsible

12.5 x 11.0 cm



APC02
1.8 cm
Offset

12.5 x 11.0 cm



APC04
4.0 cm
Offset

12.5 x 11.0 cm




WC Inlet Rubber Bush / Washer



Corrugated Waste Pipe (White)

[3.5 / 4.2 / 4.2(long) cm]

STACK - AERATOR v2.0



SOLFIT(Normal & Silent)



Stack - Aerator v2.0
(10 cm)



Dummy Clap
(10cm)



Inspection Plug
(10cm)

STUDOR Active Drainage Ventilation System



P.A.P.A
(2.5 / 4 inch)



Maxi-Filtra
(2.5 / 4 inch)



**Mini-Vent NPT 1.5" with
global connector**
(1.5 / 1.5 inch)



**Alumunium Cover for Maxi-Vent
& Maxi-Filtra**



Maxi-Vent with global connector (2.5 / 4 inch)




Maxi-Filtra Cartridge

uPVC AQUALIFE PLUMBING SYSTEM

uPVC Pipes in SCH 40 & 80 as per ASTM D 1785 & Fittings in SCH 80 as per ASTM D 2467


uPVC Pipes (SCH 40) 3 & 6 mtr length



Size:

[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 /
6.5 / 8.0 / 10.0 / 15.0 / 21.9 cm]

uPVC Pipes (SCH 80) 3 & 6 mtr length



Size:

[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 /
6.5 / 8.0 / 10.0 / 15.0 / 21.9 cm]

Elbow 90° (SCH 80)



Size:

[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 /
6.5 / 8.0 / 10.0 / 15.0 cm]

Elbow Reducer 90° (SCH 80)



Size:

[2.0 x 1.5 / 2.5 x 1.5 /
2.5 x 2.0 cm]


Elbow 45° (SCH 80)



Size:

[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 /
6.5 / 8.0 / 10.0 cm]

Sweep Bend without
Socket (SCH 80)



Size:

[6.5 / 8.0 / 10.0 / 15.0 cm]

Sweep Bend - Socket at
Both Sides (SCH 80)



Size:

[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 cm]

Stepover Bend (SCH 80)



Size:

[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 cm]

Tee (SCH 80)



Size:

[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 /
6.5 / 8.0 / 10.0 / 15.0 cm]

Cross Tee (SCH 80)



Size:

[1.5 / 2.0 / 2.5 / 3.2 /
4.0 / 5.0 / 6.5 cm]

Coupler (SCH 80)



Size:

[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 /
6.5 / 8.0 / 10.0 / 15.0 cm]

uPVC To CPVC Converter
-Coupler (SCH 80)



Size:

[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 cm]

Converter Coupler (SCH 80)



Size:

[2.0 / 2.5 / 3.2 / 4.0 / 5.0 cm]

Reducer Tee (SCH 80)



Size:

2.0 x 2.0 x 1.5 cm	4.0 x 4.0 x 2.0 cm	5.0 x 5.0 x 4.0 cm
2.5 x 2.5 x 1.5 cm	4.0 x 4.0 x 2.5 cm	6.5 x 6.5 x 2.0 cm
2.5 x 2.5 x 2.0 cm	4.0 x 4.0 x 3.2 cm	6.5 x 6.5 x 2.5 cm
3.2 x 3.2 x 1.5 cm	5.0 x 5.0 x 1.5 cm	6.5 x 6.5 x 3.2 cm
3.2 x 3.2 x 2.0 cm	5.0 x 5.0 x 2.0 cm	6.5 x 6.5 x 4.0 cm
3.2 x 3.2 x 2.5 cm	5.0 x 5.0 x 2.5 cm	6.5 x 6.5 x 5.0 cm
4.0 x 4.0 x 1.5 cm	5.0 x 5.0 x 3.2 cm	8.0 x 8.0 x 5.0 cm
	8.0 x 8.0 x 6.5 cm	

uPVC Fittings in SCH 80 as per ASTM D 2467 & SCH 40 as per ASTM D 2466

Bushing (SCH 80)



Size:

2.0 x 1.5 cm	5.0 x 2.0 cm
2.5 x 1.5 cm	5.0 x 2.5 cm
2.5 x 2.0 cm	5.0 x 3.2 cm
3.2 x 1.5 cm	5.0 x 4.0 cm
3.2 x 2.0 cm	6.5 x 2.0 cm
3.2 x 2.5 cm	6.5 x 2.5 cm
4.0 x 1.5 cm	6.5 x 3.2 cm
4.0 x 2.0 cm	6.5 x 4.0 cm
4.0 x 2.5 cm	6.5 x 5.0 cm
4.0 x 3.2 cm	8.0 x 5.0 cm
5.0 x 1.5 cm	8.0 x 6.5 cm



Size:

2.0 x 1.5 cm	5.0 x 3.2 cm
2.5 x 1.5 cm	5.0 x 4.0 cm
2.5 x 2.0 cm	6.5 x 5.0 cm
3.2 x 1.5 cm	6.5 x 5.0 cm
3.2 x 2.0 cm	8.0 x 5.0 cm
3.2 x 2.5 cm	8.0 x 5.0 cm
4.0 x 1.5 cm	8.0 x 6.5 cm
4.0 x 2.0 cm	10.0 x 5.0 cm
4.0 x 2.5 cm	10.0 x 6.5 cm
4.0 x 3.2 cm	10.0 x 8.0 cm
5.0 x 1.5 cm	15.0 x 6.5 cm
5.0 x 2.0 cm	15.0 x 8.0 cm
5.0 x 2.5 cm	15.0 x 10.0 cm

Female Adaptor Plastic Threaded - FAPT (SCH 80)



Size:

[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 /
6.5 / 8.0 / 10.0 cm]

Male Adaptor Plastic Threaded - MAPT (SCH 80)



Size:

[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 /
6.5 / 8.0 / 10.0 cm]

Reducing Male Adaptor Plastic Threaded -MAPT



Size:

[2.0 x 1.5 cm]

End Cap (SCH 80)



Size:

[1.5/2.0/2.5/3.2/4.0/5.0/
6.5/8.0/10.0/15.0 cm]



Size:

[2.5/3.2/4.0/5.0/
6.5/8.0/10.0/15.0 cm]

**Flange with Gasket
-End Cap Closed (SCH 80)**



Size:

[2.5/3.2/4.0/5.0/
6.5/8.0/10.0 cm]

Tank Nipple (SCH 80)



Size:

[1.5/2.0/2.5/3.2/4.0/5.0/
6.5/8.0/10.0 cm]

**Tank Nipple (with one
side pipe fitment)**



Size:

[2.5/3.2/4.0/5.0 cm]

Hex Nipple



Size:

[2.5/3.2/4.0/5.0 cm]

Union (SCH 80)



Size:

[1.5/2.0/2.5/3.2/4.0/5.0 cm]

Union (SCH 80)



Size:

[1.5/2.0/2.5/3.2/4.0/5.0 cm]

Ball Valve (SCH 80)



Size:

[1.5/2.0/2.5/3.2/4.0/5.0 cm]

**Ball Valve With
Union Ends+ (SCH 80)**



Size:

[2.0/2.5/3.2/4.0/5.0 cm]

Ball Valve Handle



Size:

[1.5/2.0/2.5/3.2/4.0/5.0/
6.5/8.0/10.0 cm]

Non Return Valve



Size:

[2.0/2.5/3.2/4.0/5.0 cm]

Gate Valve



Size:

[1.5/2.0/2.5cm]

**Ball Valve With Brass
Threaded (One Side)**



Size:

[2.0/2.5/3.2cm]

**Ball Valve With Brass
Threaded (Two Side)**



Size:

[2.0/2.5/3.2cm]

**Brass Elbow 90°
(SCH 80)**



Size:


[1.5 x 1.5cm] [2.5 x 2.0cm]
[2.0 x 1.5cm] [2.5 x 2.5cm]
[2.0 x 2.0cm] [3.2 x 1.5cm]
[2.5 x 1.5cm]

**Brass Flush
Valve Socket**



Size:
[3.2 x 3.2cm]
[4.0 x 4.0cm]

Brass Tee (SCH 80)



Size:
[1.5 x 1.5 x 1.5cm] [2.5 x 2.5 x 2.5cm]
[2.0 x 2.0 x 1.5cm] [3.2 x 3.2 x 1.5cm]
[2.0 x 2.0 x 2.0cm] [4.0 x 4.0 x 1.5cm]
[2.5 x 2.5 x 1.5cm] [5.0 x 5.0 x 1.5cm]
[2.5 x 2.5 x 2.0cm]

**Female Adaptor Brass
Threaded - FABT (SCH 80)**



Size:
[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 /
6.5 / 8.0 cm]

**Reducing Female
Adaptor Brass
Threaded - FABT**



Size:
[2.0 x 1.5cm] [3.2 x 1.5cm]
[2.5 x 1.5cm] [3.2 x 2.0cm]
[2.5 x 2.0cm]

Union - FABT



Size:
[1.5 / 2.0 / 2.5 / 3.2 cm]

**Male Adaptor Brass
Threaded - MABT (SCH 80)**



Size:
[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 /
6.5 / 8.0 cm]

**Reducing Male
Adaptor Brass
Threaded - MABT**



Size:
[2.0 x 1.5cm]
[2.5 x 2.0cm]

Union - MABT



Size:
[1.5 / 2.0 / 2.5 / 3.2 cm]

Ball Valve



Size:
[6.5 / 8.0 / 10.0 cm]

Butterfly Valve



Size:
[4.0 / 5.0 / 6.5 / 8.0 / 10.0 / 15.0 cm]

SS Bolts for Butterfly Valves



Size:
[M12 x 125 mm]
[M16 x 125 mm]
[M16 x 150 mm]
[M16 x 160 mm]

Elbow 90 (SCH 40)



Size:
[6.5 / 8.0 / 10.0 / 15.0 cm]

Sweep Bend without Socket (SCH 40)



Size:
[6.5 / 8.0 / 10.0cm]

Tee (SCH 40)



Size:
[6.5 / 8.0 / 10.0 / 15.0cm]

Reducer Tee (SCH 40)



Size:
[6.5 x 6.5 x 2.0cm] [6.5 x 6.5 x 5.0cm]
[6.5 x 6.5 x 2.5cm] [8.0 x 8.0 x 5.0cm]
[6.5 x 6.5 x 3.2cm] [8.0 x 8.0 x 6.5cm]
[6.5 x 6.5 x 4.0cm]

Coupler (SCH 40)



Size:
[6.5 / 8.0 / 10.0 / 15.0cm]

Reducer Coupler (SCH 40)



Size:
[6.5 x 2.0cm][6.5 x 4.0cm][8.0 x 6.5cm]
[6.5 x 2.5cm][6.5 x 5.0cm]
[6.5 x 3.2cm][8.0 x 5.0cm]

End Cap (SCH 40)



Size:
[15.0cm]

Reducing Bushing (SCH 40)



Size:
[15.0 x 5.0 cm] [15.0 x 8.0 cm]
[15.0 x 6.5 cm] [15.0 x 10.0 cm]

Flange with Gasket -End Cap Open (SCH 40)



Size:
[15.0cm]

Flange with Gasket -End Cap Closed (SCH 40)



Size:
[15.0cm]

Rubber Gasket for Flange (SCH 40)



Size:
[2.5 / 3.2 / 4.0 / 5.0 /
6.5 / 8.0 / 10.0 / 15.0 cm]

SS Clamp



Size:
[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 cm]

Powder Coated Metal Clamp



Size:
[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 cm]

Plastic Clamp

Size:
[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 cm]



PVC Blue Medium Duty Cement

Size:
4 oz 16 oz
8 oz 32 oz



1 step uPVC Clear Medium Solvent Cement

Size:
1 oz 8 oz
2 oz 16 oz
4 oz 32 oz



2 step uPVC Heavy Duty Grey Solvent Cement

Size:
4 oz 16 oz
8 oz 32 oz



Purple Primer Solvent Cement

Size:
8 oz

AQUALIFE RECLAIM™ PIPES SYSTEM

uPVC Pipes in SCH 40 & 80 as per ASTM D 1785 & Fittings in SCH 80 as per ASTM D 2467

uPVC Pipes (SCH 40) 3 & 6 mtr length



[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 cm]

uPVC Pipes (SCH 80) 3 & 6 mtr length



Size:


[1.5 / 2.0 / 2.5 / 3.2 / 4.0 / 5.0 /
6.5 / 8.0 / 10.0 cm]

Long Concealed Valve



Size:

[0.5 / 0.75 / 0.75 / 1 inch]



Size:

[0.5 / 0.75 / 0.75 / 1 inch]

Concealed Valve Quarter
Turn - Mini Spindle With
Plastic knob



Size:

[1.5 / 2.0 / 2.5 cm]

Brass Flush Valve
with socket (Single Flush)



Size:

[4.0 x 4.0 cm]

Brass Flush Valve
with socket (Dual Flush)



Size:

[4.0 x 4.0 cm]

Y - Strainer



Size:

[1 / 1.25 / 1.50 / 2 cm]

Spares For CPVC Concealed Valve

Brass Mechanism



Size:

[0.5 / 0.75 / 0.75 / 1 inch]

Extension Tube



Size:

Long, Short

Flange



Knobs



Size:

Plastic, Round, Square, Triangle

**Allen Key
(for round Knob)**



**Grub Screw
(for round knob)**



**Screw with Washer
(for triangle and square knob)**



Threaded End Plug



**Red & Blue Buttons
small - Round & Square**



**Red & Blue Buttons
Big - Triangle**



Spares for Diverter

Spindle



Size:

Medium Flow, High Flow

Sleeve Flange



Size:

Medium Flow

**Body Sleeve And
O - Ring**



Size:

Medium Flow, High Flow

Cartridge



Size:
Medium Flow, High Flow

Hex Nut



Size:
Medium Flow, High Flow

Push Button



Size:
Medium Flow, High Flow

Spares for Flush Valve (Common for all)

FV Operating Mechanism



FV Wall Flange with Washer



Spares for Y - Strainer

YS Fliter Mesh



Size:
[2.5 / 3.2cm]

YS Hex Nut



Size:
[2.5 / 3.2cm]

Our Global Presence



African Countries

- | | | | | |
|-----------|-----------|--------------|----------------|---------------------------|
| ● Algeria | ● Libya | ● Mauritania | ● South Africa | ● Center African Republic |
| ● Senegal | ● Angola | ● Egypt | ● Ethiopia | ● Dem. Rep. of Congo |
| ● Mali | ● Namibia | ● Sudan | ● Kenya | ● Madagascar |
| ● Coast | ● Uganda | ● Ghana | ● Botswana | ● Mozambique |
| ● Nigeria | ● Chad | ● Niger | ● Tanzania | ● Zimbabwe |

Other Countries

- | | | | | |
|---------|--------------|------------|----------------|-----------------|
| ● Nepal | ● Bangladesh | ● Srilanka | ● Fiji Islands | ● South America |
|---------|--------------|------------|----------------|-----------------|

HEAD OFFICE

Plot No: 5205, Opp. Torrent Power Vinzol Office, Phase IV,
GIDC Vatva, Ahmedabad - 382 445 [Gujarat]-India.

✉ sales.manishcorp@gmail.com
manishcorp@gmail.com

☎ +91 98250 73526, +91 98980 35068

CUSTOMER CARE: +91 70692 20813
customer.manishcorp@gmail.com

BRANCH OFFICE

Shiv7Exim Shop No: 54, Sec 3/A, Main Bazar, Mandi Gobindgarh,
Dist:- Fatehgarh Sahib, - 147 301 [Punjab]-India.

✉ shiv7exim.mgg@yahoo.com

☎ +91 79866 23638

OVERSEAS CONTACT

Jignesh Prajapati (B.D.H)

✉ jigneshprajapati.manishcorp@gmail.com

☎ +254 733 488507

WEST & CENTRAL AFRICA ZONE

Rishi Chandani (B.D.H)

✉ rishichandani.manishcorp@gmail.com

☎ +91 63599 95113

